Hepatitis C

accredo®

PRESCRIPTION & ENROLLMENT FORM

Four simple steps to submit your referral.

1 PATIENT INFORMATION

❑ New patient ❑ Current

Patient's name _____

Date of birth _____ ❑ Male ❑ Female Last 4 digits of SSN _____

Street address _____ Apt # _____

City _____ State _____ Zip _____

Parent/guardian (if applicable) _____

Home phone _____ Work phone _____ Cell phone _____

Evening phone _____ E-mail address _____

Patient's primary language: ❑ English ❑ Other If other, please specify _____

Please attach front and back of patient's insurance cards or complete information below.

Insurance company _____ Phone _____

Insured's name _____

Insured's employer _____ Relationship to patient _____

Identification # _____ Policy/group # _____

Prescription card: ❑ Yes ❑ No If yes, carrier _____

Policy # _____ Group # _____ Is patient eligible for Medicare? ❑ Yes ❑ No

Does patient have a secondary insurance? ❑ Yes ❑ No

2 PRESCRIBER INFORMATION

All fields must be completed to expedite prescription fulfillment.

Date _____ Time _____

Prescriber's name and title _____

Office contact and title _____

Clinic/hospital affiliation _____

Street address _____ Suite # _____

City _____ State _____ Zip _____

Phone _____ Fax _____

NPI # _____ License # _____ MD specialty _____

❑ Send all shipments to MD office ❑ Send first fill to MD office

3 CLINICAL INFORMATION

Primary ICD-10 code _____

Comorbidities _____

❑ NKDA ❑ Known drug allergies _____

Current weight _____ kg/lbs Date recorded _____

HCV genotype: ❑ 1 ❑ 2 ❑ 3 ❑ 4 ❑ 5 ❑ 6 ❑ Subtype _____ Cirrhosis ❑ Yes ❑ No

What is the pre-treatment (baseline) HCV RNA level (viral load)? _____ IU/mL Collection date _____

Has the patient been previously treated for hepatitis C? ❑ Yes ❑ No, naïve to treatment

If yes, name the product(s) and date range(s) of treatment and outcome (if applicable) _____

Responder status: ❑ Partial responder ❑ Null responder ❑ Relapser

Concurrent meds _____

Please fax completed form to the Hep C team at 888.302.1028.

To reach your team, call toll-free 888.608.9010.

The document(s) accompanying this transmission may contain confidential health information that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information to any other party unless required to do so by law or regulation. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or action taken in reliance on the contents of these documents is strictly prohibited. If you have received this information in error, please notify the sender immediately and arrange for the return or destruction of these documents.

All rights in the product names, trade names or logos of all third-party products that appear in this form, whether or not appearing with the trademark symbol, belong exclusively to their respective owners.

© 2016 Accredo Health Group, Inc. | An Express Scripts Company | All Rights Reserved
HEP-00003-080916 amc5678

amc5678_CRP08.10.16

4 PRESCRIBING INFORMATION

Medication	Strength / Formulation	Directions	Quantity/Refills
❑ Daklinza™ (daclatasvir)	❑ 60 mg tablet ❑ 30 mg tablet	❑ Take 1 tablet by mouth daily with Sovaldi (sofosbuvir) for 12 weeks with or without food. ❑ Other _____	❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Epclusa® (sofosbuvir/ velpatasvir)	400 mg sofosbuvir/ 100 mg velpatasvir	Take one tablet daily with or without food. Duration: ❑ 12 weeks ❑ Other _____	❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Harvoni® (ledipasvir/ sofosbuvir)	90 mg ledipasvir and 400 mg sofosbuvir	Take one tablet daily. Duration: ❑ 8 weeks ❑ 12 weeks ❑ 24 weeks ❑ Other _____	❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Olysio® (simeprevir)	150 mg capsule	Take one (150 mg) capsule once daily with food.	❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Riba-pak® (ribavirin)	❑ 600 mg/day ❑ 800 mg/day ❑ 1000 mg/day ❑ 1200 mg/day	❑ Take 600 mg tab PO QAM and 600 mg tab PO QPM=1200 mg/day (600-600). ❑ Take 600 mg tab PO QAM and 400 mg tab PO QPM=1000 mg/day (600-400). ❑ Take 400 mg tab PO QAM and 400 mg tab PO QPM=800 mg/day (400-400). ❑ Take 200 mg tab PO QAM and 400 mg PO QPM= 600 mg/day (200-400).	❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Ribavirin	❑ 200 mg tablet ❑ 200 mg capsule	Take _____ tabs/caps QAM and _____ tabs/caps QPM with food. ❑ Other _____	❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Sovaldi® (sofosbuvir)	400 mg tablet	Take one (400 mg) tablet once daily. Duration: ❑ 12 weeks ❑ 24 weeks ❑ Other _____	❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Technivie® (ombitasvir, paritaprevir, ritonavir)	Pak contains: ombitasvir, paritaprevir, ritonavir: 12.5/75/50 mg	❑ Take 2 tablets every morning with food daily for 12 weeks. ❑ Other _____	❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Viekira Pak® (ombitasvir, paritaprevir and ritonavir tablets; dasabuvir tablets)	❑ Pak contains: ombitasvir, paritaprevir, ritonavir (pink tablets): 12.5/75/50 mg dasabuvir (beige tablets): 250 mg	❑ Take two ombitasvir, paritaprevir, ritonavir (pink) tablets once daily AM and one dasabuvir (beige) tablet twice daily AM and PM with a meal. ❑ Other _____ Duration: ❑ 12 weeks ❑ 24 weeks ❑ Other _____	❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Viekira XR® (dasabuvir, ombitasvir, paritaprevir and ritonavir tablets)	Pack contains: dasabuvir, ombitasvir, paritaprevir and ritonavir (200 mg/8.33 mg/50 mg/33.33 mg)	Take 3 tablets once daily with food. Swallow whole. Duration: ❑ 12 weeks ❑ 24 weeks ❑ Other _____	❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Zepatier™ (elbasvir/ grazoprevir)	50 mg elbasvir and 100 mg grazoprevir NS5A resistant polymorphisms: ❑ Yes ❑ No	❑ Take one tablet daily with or without food. ❑ Other _____ Duration: ❑ 12 weeks ❑ 16 weeks ❑ Other _____	❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Other medication			❑ 1-month supply ❑ 3-month supply ❑ Other _____ Refills _____
❑ Prescriber please check here to authorize ancillary supplies such as needles, syringes, sterile water, etc. to administer the therapy		As needed for administration	Send quantity sufficient for medication days supply

If shipped to physician's office, physician accepts on behalf of patient for administration in office.

By signing below, I certify that the above therapy is medically necessary.

I authorize HUB to act on my behalf for the limited purposes of transmitting this prescription to the appropriate pharmacy designated by the patient utilizing their benefit plan.

Prescriber's signature (sign below) **(Physician attests this is his/her legal signature. NO STAMPS)**

PHYSICIAN SIGNATURE REQUIRED

Date _____ Substitution allowed _____ Date _____ Dispense as written _____

The prescriber is to comply with his/her state specific prescription requirements such as e-prescribing, state specific prescription form, fax language, etc. Non-compliance with state specific requirements could result in outreach to the prescriber.