

Please fax both pages of completed form to your team at 808.650.6487.

To reach your team, call toll-free 808.650.6488.

You can now monitor shipments and chat online if you have questions. Go to [MyAccredoPatients.com](http://MyAccredoPatients.com) to log in or get started.

Prescription & Enrollment Form

# Pediatric Growth Disorders

**accredo**<sup>®</sup>  
677 Ala Moana Blvd., Suite 404,  
Honolulu, HI 96813-5412

Four simple steps to submit your referral.

## 1 Patient Information



Please provide copies of front and back of all medical and prescription insurance cards.

New patient      Current patient

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_

Preferred patient first name \_\_\_\_\_ Preferred patient last name \_\_\_\_\_

Sex at birth:    Male    Female    Gender identity \_\_\_\_\_    Pronouns \_\_\_\_\_    Last 4 digits of SSN \_\_\_\_\_

Date of birth \_\_\_\_\_ Street address \_\_\_\_\_ Apt # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Parent/guardian (if applicable) \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Alternate caregiver/contact \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

OK to leave message with alternate caregiver/contact

Patient's primary language:    English    Other    If other, please specify \_\_\_\_\_

## 2 Prescriber Information

All fields must be completed to expedite prescription fulfillment.

Date \_\_\_\_\_ Time \_\_\_\_\_ Date medication needed \_\_\_\_\_

Office/clinic/institution name \_\_\_\_\_

Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_

Prescriber's title \_\_\_\_\_ If NP or PA, under direction of Dr. \_\_\_\_\_

Office phone \_\_\_\_\_ Fax \_\_\_\_\_ NPI # \_\_\_\_\_ License # \_\_\_\_\_

Office contact and title \_\_\_\_\_ Office contact email \_\_\_\_\_

Office street address \_\_\_\_\_ Suite # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Deliver product to:    Prescriber's office    Patient's home

## 3 Clinical Information

Primary ICD-10 code (REQUIRED): \_\_\_\_\_ Weight (kg) \_\_\_\_\_ Height (cm) \_\_\_\_\_

Date measured \_\_\_\_\_ Injection training needed:    Yes    No    By:    MD office    Other \_\_\_\_\_

If prior HgH use, date started \_\_\_\_\_ NKDA    Known drug allergies \_\_\_\_\_

Concurrent meds \_\_\_\_\_

Please attach the following information for growth disorder diagnosis: Drug profile, labs, growth chart where applicable

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_ Date of birth \_\_\_\_\_

Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_ Phone \_\_\_\_\_

## 4 Prescribing Information

Medication	Strength/Formulation	Directions	Quantity/Refills
Genotropin® (somatropin)	5mg cartridge 12mg cartridge		1-month supply 3-month supply Other _____ Refills _____
	<b>Mini Quick® prefilled syringe</b> 0.2mg (1-mo) 0.4mg 0.6mg 0.8mg 1mg 1.2mg (1-mo) 1.4mg 1.6mg 1.8mg 2mg		
Humatrope® (somatropin)	5mg vial 6mg cartridge 12mg cartridge 24mg cartridge		
HumatroPen® (somatropin) injection device for cartridge	6mg device 12mg device 24mg device		
Increlex® (mecasermin)	40mg/4mL vial		
Ngenla® (somatrogen-ghla)	24mg/1.2mL Prefilled Pen 60mg/1.2mL Prefilled Pen		
Norditropin® (somatropin)	<b>FlexPro® prefilled pen</b> 5mg 10mg 15mg 30mg		
Nutropin (somatropin)	<b>AQ NuSpin® prefilled device</b> 5mg 10mg 20mg		
Omnitrope® (somatropin)	5.8mg vial 5mg/1.5mL cartridge 10mg/1.5mL cartridge		
Sogroya® (somapacitan- beco)	<b>Prefilled pen</b> 5mg 10mg 15mg		
Skytrofa® (lonapegsoma- tropin-tcgd)	3mg cartridge 3.6mg cartridge 4.3mg cartridge 5.2mg cartridge 6.3mg cartridge 7.6mg cartridge 9.1mg cartridge 11mg cartridge 13.3mg cartridge		
Zomacton® (somatropin)	5mg vial 10mg vial		
Other			1-month supply 3-month supply Other _____ Refills _____
<b>Ancillary Supplies: (Prescriber to strike through if not required)</b> Dispense ancillary supplies such as needles, syringes, sterile water, etc. and home medical equipment necessary to administer the therapy as needed.			Send quantity sufficient for medication days supply

If shipped to physician's office or infusion clinic, physician accepts on behalf of patient for administration in office or infusion clinic.

**I certify that this medication is not being prescribed for anti-aging, cosmetic or athletic performance. I further certify human growth hormone is being prescribed for the medical condition noted above and is medically necessary.**

**Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)**

**SIGN  
HERE**

Date

Dispense as written

Date

Substitution allowed

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements could result in outreach to the prescriber.

**FOR REFERENCE ONLY:** This page is for reference only and should not be returned. Diagnosis must be indicated in section 3 of the enrollment form.

**COMMON DIAGNOSIS CODES**

**B20** Human immunodeficiency virus [HIV] disease

With: **R64** Cachexia (Serostim® only)

With: **E88.1** Lipodystrophy (Egrifta® only)

**E23.0** Idiopathic growth hormone deficiency:

- Childhood-onset
- Adult-onset

**E34.3** Short stature due to endocrine disorder

**E23.0** Acquired growth hormone deficiency with:

- Childhood-onset
- Adult-onset

**C75.1** Malignant neoplasm of pituitary gland

**C75.2** Malignant neoplasm of craniopharyngeal duct

**D35.2** Benign neoplasm of pituitary gland

**D35.3** Benign neoplasm of craniopharyngeal duct

**E23.0** Hypopituitarism

**E23.1** Drug-induced hypopituitarism

**E89.3** Postprocedural hypopituitarism

**E23.3** Hypothalamic dysfunction

**N18.9 Chronic kidney disease (child, pre-transplant):**

- HD
- CAPD
- CCPD, schedule: \_\_\_\_\_

**N18.2** CKD, Stage II (Mild)

**N18.3** CKD, Stage III (Moderate)

**N18.4** CKD, Stage IV (Severe)

**N18.5** CKD, Stage V

**N18.6** End stage renal disease

**Congenital disease & associated disorders:**

**Q96.9** Turner's syndrome

**Q87.1** Noonan syndrome

**Q87.1** Prader-Willi syndrome

**E34.3, Q78.8** SHOX deficiency

**Q87.1** Russell-Silver syndrome

**Q89.8** Other specified congenital malformations

**R62.50** Severe IGF-1 deficiency (Increlex® only)

**R62.52 Small for Gestational Age with inadequate catch-up growth (child):**

**P05.10** Small for gestational age

**P05.00** Light for gestational age

**P05.9** Slow intrauterine growth

**R62.52 Idiopathic Short Stature (child) with – 2.25 SDS**

**K91.2** Short-bowel Syndrome (Zorbtive® only)