

Please fax all pages of completed form to your team at 808.650.6487.

To reach your team, call toll-free 808.650.6488.

You can now monitor shipments and chat online if you have questions. Go to MyAccredoPatients.com to log in or get started.

Accredo® Specialty Pharmacy Prescription & Enrollment Form

Hepatitis C

EVERNORTH[®]

HEALTH SERVICES

677 Ala Moana Blvd., Suite 404,
Honolulu, HI 96813-5412

Four simple steps to submit your referral.

1 Patient Information



Please provide copies of front and back of all medical and prescription insurance cards.

New patient Current patient

Patient's first name _____ Last name _____ Middle initial _____

Preferred patient first name _____ Preferred patient last name _____

Sex at birth: Male Female Gender identity _____ Pronouns _____ Last 4 digits of SSN _____

Date of birth _____ Street address _____ Apt # _____

City _____ State _____ Zip _____

Home phone _____ Cell phone _____ Email address _____

Parent/guardian (if applicable) _____

Home phone _____ Cell phone _____ Email address _____

Alternate caregiver/contact _____

Home phone _____ Cell phone _____ Email address _____

OK to leave message with alternate caregiver/contact

Patient's primary language: English Other If other, please specify _____

Provider will read the following statement to patient: By providing the phone number(s) and email address above, you consent to receiving automated/artificial voice calls, emails and/or text messages from Accredo about your prescription(s), account, and health care. Standard data rates apply. Message frequency varies.

2 Prescriber Information

All fields must be completed to expedite prescription fulfillment.

Date _____ Time _____ Date medication needed _____

Office/clinic/institution name _____

Prescriber's first name _____ Last name _____

Prescriber's title _____ If NP or PA, under direction of Dr. _____

Office phone _____ Fax _____ NPI # _____ License # _____

Office contact and title _____ Office contact email _____

Office street address _____ Suite # _____

City _____ State _____ Zip _____

Deliver product to: Prescriber's office Patient's home

3 Clinical Information

Primary ICD-10 code (REQUIRED): _____ Comorbidities _____

NKDA Known drug allergies _____

Current weight _____ kg/lbs Date recorded _____ Cirrhosis Yes No HCV genotype: 1 2 3 4 5 6

Subtype _____ What is the pre-treatment (baseline) HCV RNA level (viral load)? _____ IU/mL Collection date _____

Has the patient been previously treated for hepatitis C? Yes No, naive to treatment

If yes, name the product(s) and date range(s) of treatment and outcome (if applicable) _____

Responder status: Partial responder Null responder Relapser

Concurrent meds _____

Patient's first name _____ Last name _____ Middle initial _____ Date of birth _____

Prescriber's first name _____ Last name _____ Phone _____

4 Prescribing Information

Medication	Strength/Formulation	Directions	Quantity/Refills
Epclusa® (sofosbuvir/ velpatasvir)	400mg sofosbuvir/100mg velpatasvir tablet 200mg sofosbuvir/50mg velpatasvir tablet 200mg sofosbuvir/50mg velpatasvir pellet 150mg sofosbuvir/37.5mg velpatasvir pellet	Take one tablet daily with or without food. Take _____ tablet(s) once daily at same time with food. Take _____ pellet(s) once daily at the same time. Duration: 12 weeks Other _____	1-month supply 3-month supply Other _____ Refills _____
Harvoni® (ledipasvir/ sofosbuvir)	90mg ledipasvir/400mg sofosbuvir tablet 45mg ledipasvir/200mg sofosbuvir tablet 45mg ledipasvir/200mg sofosbuvir Pellet 33.75mg ledipasvir/150mg sofosbuvir pellet	Take one tablet daily. Take _____ tablet(s) once daily. Take _____ pellet(s) once daily. Duration: 8 weeks 12 weeks 24 weeks Other _____	1-month supply 3-month supply Other _____ Refills _____
Mavyret™ (glecaprevir/ pibrentasvir)	100mg glecaprevir/40mg pibrentasvir tablet 50mg glecaprevir/20mg pibrentasvir pellet	Take 3 tablets once daily at same time with food. Take _____ tablet(s) once daily at same time with food. Take _____ pellet(s) once daily at the same time. Duration: 8 weeks 12 weeks 16 weeks	1-month supply 3-month supply Other _____ Refills _____
Ribavirin	200mg tablet 200mg capsule	Take _____ tabs/caps QAM and _____ tabs/caps QPM with food. Other _____	1-month supply 3-month supply Other _____ Refills _____
Sovaldi® (sofosbuvir)	400mg tablet 200mg tablet 200mg pellet 150mg pellet	Take one (400mg) tablet once daily. Take _____ tablet(s) once daily. Take _____ pellet(s) once daily. Duration: 12 weeks 24 weeks Other _____	1-month supply 3-month supply Other _____ Refills _____
Other			1-month supply 3-month supply Other _____ Refills _____
Prescriber, please check here to authorize ancillary supplies such as needles, syringes, sterile water, etc. to administer the therapy		As needed for administration	Send quantity sufficient for medication days supply

If shipped to physician's office or infusion clinic, physician accepts on behalf of patient for administration in office or infusion clinic.

Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)**SIGN
HERE**

Date

Dispense as written

Date

Substitution allowed

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc.
Non-compliance with state-specific requirements could result in outreach to the prescriber.

Patient's first name _____ Last name _____ Middle initial _____ Date of birth _____

Prescriber's first name _____ Last name _____ Phone _____

4

Prescribing Information

Medication	Strength/Formulation	Directions	Quantity/Refills
Vosevi™ (sofosbuvir/ velpatasvir/ voxilaprevir)	400mg sofosbuvir/ 100mg velpatasvir/100mg voxilaprevir tablet	Take one tablet daily with food. Select previous treatment experience if applicable: Previous use of NS5A Previous use of sofosbuvir without NS5A	1-month supply 3-month supply Other _____ Refills _____
Zepatier™ (elbasvir/grazoprevir)	50mg elbasvir/ 100mg grazoprevir tablet NS5A resistant polymorphisms: Yes No	Take one tablet daily with or without food. Other _____ Duration: 12 weeks 24 weeks Other _____	1-month supply 3-month supply Other _____ Refills _____
Other			1-month supply 3-month supply Other _____ Refills _____
Prescriber, please check here to authorize ancillary supplies such as needles, syringes, sterile water, etc. to administer the therapy		As needed for administration	Send quantity sufficient for medication days supply

If shipped to physician’s office or infusion clinic, physician accepts on behalf of patient for administration in office or infusion clinic.

Prescriber’s signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

SIGN
HERE

Date _____ Dispense as written _____ Date _____ Substitution allowed _____

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc.
Non-compliance with state-specific requirements could result in outreach to the prescriber.