

Please fax all pages of completed form to your team at 866.531.1025.

To reach your team, call toll-free 866.839.2162.

You can now monitor shipments and chat online if you have questions. Go to [MyAccredoPatients.com](https://MyAccredoPatients.com) to log in or get started.

## Prescription & Enrollment Form

# Adbry® (tralokinumab-ldrm)

accredo®

Four simple steps to submit your referral.

## 1 Patient Information



Please provide copies of front and back of all medical and prescription insurance cards.

New patient      Current patient

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_

Preferred patient first name \_\_\_\_\_ Preferred patient last name \_\_\_\_\_

Sex at birth:    Male    Female    Gender identity \_\_\_\_\_ Pronouns \_\_\_\_\_ Last 4 digits of SSN \_\_\_\_\_

Date of birth \_\_\_\_\_ Street address \_\_\_\_\_ Apt # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Parent/guardian (if applicable) \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Alternate caregiver/contact \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

OK to leave message with alternate caregiver/contact

Patient's primary language:    English    Other    If other, please specify \_\_\_\_\_

**Provider will read the following statement:** By providing the phone number(s) and email address above, you consent to receiving automated/artificial voice calls, emails and/or text messages from Accredo about your prescription(s), account, and health care. Standard data rates apply. Message frequency varies.

## 2 Prescriber Information

All fields must be completed to expedite prescription fulfillment.

Date \_\_\_\_\_ Time \_\_\_\_\_ Date medication needed \_\_\_\_\_

Office/clinic/institution name \_\_\_\_\_

Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_

Prescriber's title \_\_\_\_\_ If NP or PA, under direction of Dr. \_\_\_\_\_

Office phone \_\_\_\_\_ Fax \_\_\_\_\_ NPI # \_\_\_\_\_ License # \_\_\_\_\_

Office contact and title \_\_\_\_\_ Office contact email \_\_\_\_\_

Office street address \_\_\_\_\_ Suite # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Deliver product to:    Prescriber's office    Patient's home

## 3 Clinical Information

**ICD-10 code (REQUIRED):**    Atopic Dermatitis, unspecified (L20.9)    Other \_\_\_\_\_

NKDA    Known drug allergies \_\_\_\_\_

Prior anaphylactic reaction:    Yes (Reason/date \_\_\_\_\_)    No

Concurrent meds \_\_\_\_\_ Estimated % BSA involvement \_\_\_\_\_

Concomitant therapies:    Short-acting beta agonist    Long-acting beta agonist    Antihistamines    Decongestants    Immunotherapy

Inhaled corticosteroid    Leukotriene modifiers    Oral steroids    Nasal steroids    Other \_\_\_\_\_

Lab results:    History of positive skin OR RAST test to a perennial aeroallergen

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_ Date of birth \_\_\_\_\_

Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_ Phone \_\_\_\_\_

3

Clinical Information (continued)

Pre-treatment steroid dose \_\_\_\_\_ mg    Pre-treatment serum IgE level \_\_\_\_\_ IU per mL    Test date \_\_\_\_\_

Pre-treatment serum eosinophils \_\_\_\_\_ cells/mcL    and/or sputum eosinophils \_\_\_\_\_    Date \_\_\_\_\_

Patient wt \_\_\_\_\_ kg    Date wt obtained \_\_\_\_\_

MD Specialty (required):    Allergist    Pulmonologist    ENT    Primary care    Pediatrician    Dermatologist    Other \_\_\_\_\_

Prescription type:    Naïve/new start    Restart    Continued therapy    Did this patient start Adbry on a sample?    Yes    No

Prior therapies: Please fax detailed medication history with dates of use as available. Required by some plan authorization criteria.

Topical steroid(s)    Oral antihistamines    Topical PDE-4 inhibitor    Oral steroids    Oral immunosuppressants

Topical calcineurin inhibitor    Sinus surgery

4

Prescribing Information

Medication	Strength / Formulation and Directions	Quantity/Refills
Adbry® (tralokinumab) 150mg/mL prefilled syringe Adbry® (tralokinumab) 300mg/2mL autoinjector (ADULT)	<b>Starter Dose:</b> <b>If Starter Dose is NOT needed, DO NOT complete this section</b> Inject a total of 600mg under the skin on Day 1 and then 300mg every 2 weeks starting on Day 15 and thereafter. <b>Maintenance Dose:</b> Inject 300mg under the skin every 2 weeks. Inject 300mg under the skin every 4 weeks.	1-month supply 3-month supply Other: _____ Refills _____
Adbry® (tralokinumab) 150mg/mL prefilled syringe (PEDIATRIC ages 12–17)	<b>Starter Dose:</b> <b>If Starter Dose is NOT needed, DO NOT complete this section</b> Inject two syringes (total of 300mg) under the skin on Day 1 and then one syringe (150mg) every 2 weeks starting on Day 15 and thereafter. <b>Maintenance Dose:</b> Inject 150mg under the skin every 2 weeks.	1-month supply 3-month supply Other: _____ Refills _____

If shipped to physician's office or infusion clinic, physician accepts on behalf of patient for administration in office or infusion clinic.

Prescriber's signature required (sign below)    (Physician attests this is his/her legal signature. NO STAMPS)

SIGN HERE

Date \_\_\_\_\_ Dispense as written \_\_\_\_\_ Date \_\_\_\_\_ Substitution allowed \_\_\_\_\_

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements could result in outreach to the prescriber.