

Please fax all pages of completed form to your team at 866.233.7151.

To reach your team, call toll-free 866.6ALPHA.1 or 866.625.7421.

You can now monitor shipments and chat online if you have questions. Go to [MyAccredoPatients.com](http://MyAccredoPatients.com) to log in or get started.

Prescription & Enrollment Form

Alpha-1

accredo®

Four simple steps to submit your referral.

## 1 Patient Information



Please provide copies of front and back of all medical and prescription insurance cards.

New patient Current patient

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_

Preferred patient first name \_\_\_\_\_ Preferred patient last name \_\_\_\_\_

Sex at birth: Male Female Gender identity \_\_\_\_\_ Pronouns \_\_\_\_\_ Last 4 digits of SSN \_\_\_\_\_

Date of birth \_\_\_\_\_ Street address \_\_\_\_\_ Apt # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Parent/guardian (if applicable) \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Alternate caregiver/contact \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

OK to leave message with alternate caregiver/contact

Patient's primary language: English Other If other, please specify \_\_\_\_\_

**Provider will read the following statement to patient:** By providing the phone number(s) and email address above, you consent to receiving automated/artificial voice calls, emails and/or text messages from Accredo about your prescription(s), account, and health care. Standard data rates apply. Message frequency varies.

## 2 Prescriber Information

All fields must be completed to expedite prescription fulfillment.

Date \_\_\_\_\_ Time \_\_\_\_\_ Date medication needed \_\_\_\_\_

Office/clinic/institution name \_\_\_\_\_

**Prescriber info:** Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_

Prescriber's title \_\_\_\_\_ If NP or PA, under direction of Dr. \_\_\_\_\_

Office phone \_\_\_\_\_ Fax \_\_\_\_\_ NPI # \_\_\_\_\_ License # \_\_\_\_\_

Office contact and title \_\_\_\_\_ Office contact email \_\_\_\_\_

Office street address \_\_\_\_\_ Suite # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Infusion location: Patient's home Prescriber's office Infusion site If infusion site, complete information below dotted line: \_\_\_\_\_

**Infusion info:** Infusion site name \_\_\_\_\_ Clinic/hospital affiliation \_\_\_\_\_

Site street address \_\_\_\_\_ Suite # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Infusion site contact \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_ Email \_\_\_\_\_

## 3 Clinical Information

**Primary ICD-10 code (REQUIRED):** \_\_\_\_\_ **E88.01 Alpha-1 antitrypsin deficiency**

Weight \_\_\_\_\_ kg/lbs Date recorded \_\_\_\_\_ Has the patient ever received augmentation therapy? Yes No

If yes, which one: Aralast® Prolastin® Zemaira Glassia® Smoking history: Yes No If yes, date stopped \_\_\_\_\_

NKDA Known drug allergies \_\_\_\_\_

Concurrent meds \_\_\_\_\_

Vascular access: Peripheral Central Port

Please attach/send the following clinical documentation:

- History and physical (signed)
- Serum AAT with genotype
- Non-smoker or smoking cessation program attestation (MD and patient signature)
- PFTs
- Lung imaging

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_ Date of birth \_\_\_\_\_

Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_ Phone \_\_\_\_\_

## 4 Prescribing Information

Medication	Strength/Formulation	Directions
Aralast-NP Glassia Zemaira	Infuse 60mg per kg (+/- 10%) intravenously weekly (where clinically appropriate, round to the nearest vial size) Other regimen _____	Infusion method: Gravity Pump Rate protocol: For Aralast-NP or Glassia: As tolerated by patient, not to exceed 0.2mL per kg per minute For Zemaira: As tolerated by patient, not to exceed 0.08mL per kg per minute
Premedication to be given 30 minutes prior to infusion: _____		
<b>Medications to be used as needed:</b> <i>(please strike through if not required)</i> Lidocaine 4% applied topically to insertion site prior to needle insertion as needed for intravenous site pain Other _____		
<b>Adverse reaction medications:</b> <i>(keep on hand at all times)</i> Epinephrine 0.3mg auto-injector 2-pk for patients weighing greater than or equal to 30kg. Administer intramuscularly as needed for severe anaphylactic reaction times one dose; may repeat one time. Epinephrine 0.15mg auto-injector 2-pk for patients weighing less than 30kg. Administer intramuscularly as needed for severe anaphylactic reaction times one dose; may repeat one time. Diphenhydramine 25mg by mouth for mild allergic reactions and 50mg for moderate-severe.		
<b>Flushing orders:</b> Normal saline 3mL intravenous (peripheral line) or 10mL intravenous (central line) before and after infusion, or as needed for line patency Heparin 10 units per mL 3mL intravenous (peripheral line) as final flush Heparin 100 units per mL 5mL intravenous (central line) as final flush		
<b>Supplies:</b> <i>(please strike through if not required)</i> Dispense needles, syringes, ancillary supplies and home medical equipment necessary to administer medication.		
<b>Quantity/Refills</b> Dispense 1 month supply. Refill x 1 year unless noted otherwise. Dispense 90 day supply. Refill x 1 year unless noted otherwise. Other _____		
<b>Lab orders</b> _____		
Skilled nursing visit as needed to establish venous access, administer medication and assess general status and response to therapy. Visit frequency based on prescribed orders.		

\*If nursing services will be required for therapy administration, the home health nurse will call for additional orders per state regulations.

\*\*ALL fields must be completed to expedite prescription fulfillment.

If shipped to physician's office, physician accepts on behalf of patient for administration in office.

**Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)**SIGN  
HERE

Date

Dispense as written

Date

Substitution allowed

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc.  
 Non-compliance with state-specific requirements could result in outreach to the prescriber.

# Prior Authorization Checklist

## Alpha-1 Antitrypsin (AAT) Deficiency (Alpha-1)

Providing Accredo with the documentation outlined in this checklist may increase the likelihood and speed of obtaining coverage for your patients with Alpha-1. Coverage criteria may vary by payer.

### Referral Form (not required for electronic prescriptions)

	Completed Alpha-1 referral form (available at <a href="https://www.accredo.com">accredo.com</a> )
	Copies of front and back of medical insurance and prescription benefit cards

### Clinical Documents

	History and Physical (Signed) – with documentation of emphysema
	Pulmonary Function Tests (PFTs)
	Serum AAT
	Phenotype
	Lung imaging
	Testing for presence/absence of immunoglobulin A (IgA) antibody
	Attestation of non-smoking status or smoking cessation treatment by physician and patient

Fax completed form to 866.233.7151.

If you have any questions, please call your Accredo Provider Support Advocate, or call 866.6ALPHA.1 (866.625.7421).