

Please fax all pages of completed form to your team at 800.330.0756.

To reach your team, call toll-free 866.712.5200.

You can now monitor shipments and chat online if you have questions. Go to [MyAccredoPatients.com](https://myaccredopatients.com) to log in or get started.

Accredo® Specialty Pharmacy Prescription & Enrollment Form

# Bleeding disorders

**EVERNORTH**  
HEALTH SERVICES

Four simple steps to submit your referral.

## 1 Patient Information



Please provide copies of front and back of all medical and prescription insurance cards.

New patient      Current patient

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_

Preferred patient first name \_\_\_\_\_ Preferred patient last name \_\_\_\_\_

Sex at birth:    Male    Female    Gender identity \_\_\_\_\_ Pronouns \_\_\_\_\_ Last 4 digits of SSN \_\_\_\_\_

Date of birth \_\_\_\_\_ Street address \_\_\_\_\_ Apt # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Parent/guardian (if applicable) \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Alternate caregiver/contact \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

OK to leave message with alternate caregiver/contact

Patient's primary language:    English    Other    If other, please specify \_\_\_\_\_

**Provider will read the following statement to patient:** By providing the phone number(s) and email address above, you consent to receiving automated/artificial voice calls, emails and/or text messages from Accredo about your prescription(s), account, and health care. Standard data rates apply. Message frequency varies.

## 2 Prescriber Information

All fields must be completed to expedite prescription fulfillment.

Date \_\_\_\_\_ Time \_\_\_\_\_ Date medication needed \_\_\_\_\_

Office/clinic/institution name \_\_\_\_\_

**Prescriber info:** Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_

Prescriber's title \_\_\_\_\_ If NP or PA, under direction of Dr. \_\_\_\_\_

Office phone \_\_\_\_\_ Fax \_\_\_\_\_ NPI # \_\_\_\_\_ License # \_\_\_\_\_

Office contact and title \_\_\_\_\_ Office contact email \_\_\_\_\_

Office street address \_\_\_\_\_ Suite # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Infusion location:    Patient's home    Prescriber's office    Infusion site    If infusion site, complete information below dotted line: \_\_\_\_\_

**Infusion info:** Infusion site name \_\_\_\_\_ Clinic/hospital affiliation \_\_\_\_\_

Site street address \_\_\_\_\_ Suite # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Infusion site contact \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_ Email \_\_\_\_\_

## 3 Clinical Information

**Primary ICD-10 code (REQUIRED):** \_\_\_\_\_ Bleeding disorder type:    A    B    vWD    Other \_\_\_\_\_

Severity:    Mild    Moderate    Severe    Type vWD \_\_\_\_\_

Height \_\_\_\_\_ Weight \_\_\_\_\_ Date obtained \_\_\_\_\_

IV access:    PIV/butterfly    PICC    Implanted port    Central line    Inhibitor:    No    Yes (\_\_\_\_\_BU)

Target joint(s):    No    Yes    Location \_\_\_\_\_ NKDA    Known drug allergies \_\_\_\_\_

Concurrent meds \_\_\_\_\_

Additional clinical information \_\_\_\_\_

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_ Date of birth \_\_\_\_\_

Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_ Phone \_\_\_\_\_

## 4 Prescribing Information

### Clotting factor orders—Complete this form OR attach prescription below.

Brand name _____	Units/kg _____	Qty _____	Frequency _____	Refills _____
Brand name _____	Units/kg _____	Qty _____	Frequency _____	Refills _____
Brand name _____	Units/kg _____	Qty _____	Frequency _____	Refills _____
Mild Bleeding use: Units/kg _____	Severe Bleeding use: Units/kg _____			
Prophylaxis: Dispense _____ doses/week	Episodic: Dispense _____ doses for mild/_____ doses for severe			

### Ancillary medications/supplies/nursing

Aminocaproic Acid _____ mg tablets 500mg 1000mg tablets Oral solutions 250mg/mL Directions _____	Qty _____ Frequency _____ Refills _____
Desmopressin Acetate Solution 1.5mg/mL spray in: one nostril each nostril (2 sprays total)	Qty _____ Frequency _____ Refills _____
Tranexamic Acid 650mg tablets Directions _____	Qty _____ Frequency _____ Refills _____
Emla® Apply topically as needed to IV site 60 minutes prior to insertion prn and cover with occlusive dressing.	Qty _____ Frequency _____ Refills _____
LMX™ Apply topically as needed to IV site 30–60 minutes prior to insertion prn and cover with occlusive dressing.	Qty _____ Frequency _____ Refills _____
Heparin _____ units/mL _____ flush Qty _____ Frequency _____ Refills _____	
Saline _____ mL flush Qty _____ Frequency _____ Refills _____	
Other _____ Qty _____ Frequency _____ Refills _____	
Skilled nursing visits to be provided for infusions	Skilled nursing visits to be provided for teaching
Prescriber, please check here to authorize ancillary supplies such as needles, syringes, sterile water, infusion device, etc. to administer the therapy as needed.	
Attach prescription form here.	
Refill x _____	

If shipped to physician's office, physician accepts on behalf of patient for administration in office.

Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

SIGN  
HERE

Date

Dispense as written

Date

Substitution allowed

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc.  
Non-compliance with state-specific requirements could result in outreach to the prescriber.