Please fax all pages of completed form to your team at 888.302.1028.

To reach your team, call toll-free 844.516.3319.

You can now monitor shipments and chat online if you have questions. Go to MyAccredoPatients.com to log in or get started.

Accredo® Specialty Pharmacy Prescription & Enrollment Form

Elevidys (delandistrogene moxeparvovec-rokl)



Four simple steps to submit your referral.

1 Patient Information			ease provide copies on	f front and back of all medical nce cards.	
New patient Current patient					
Patient's first name		Last name		Middle initial	
Preferred patient first name		Preferr	ed patient last name		
Sex at birth: Male Female Gende	r identity	Pronouns		Last 4 digits of SSN	
Date of birth Street a	ddress			Apt #	
City		State		Zip	
Home phone	_ Cell phone		_ Email address		
Parent/guardian (if applicable)					
Home phone	_ Cell phone		_ Email address		
Alternate caregiver/contact					
Home phone	_ Cell phone		_ Email address		
OK to leave message with alternate car	regiver/contact				
Provider will read the following statement to voice calls, emails and/or text messages from A Prescriber Informat	Accredo about your presc	ription(s), account, and	I health care. Standard d		y varies.
Z Prescriber informati	1011	All fields i	nust be completed to	expedite prescription running	
Date Time		Date medic	cation needed		
Office/clinic/institution name					
Prescriber info: Prescriber's first name _					
Prescriber's title					
Office phone					
Office contact and title					
Office street address				Suite #	
City		State		Zip	
Infusion info: Infusion site name					
				Suite #	
City		State		Zip	
Infusion site contact				·	
3 Clinical Information Primary ICD-10 code (REQUIRED):		•	·	•	No
Concurrent meds					
AAVrh74 Antibody Test: Ordered Co	mpleted Ambulation S	Status: Ambulatory	y Non-Ambulatory		

Patient's first name	Last name	Middle initial	Date of birth
Prescriber's first name	Last name	Phone	

Prescribing Information

Medication	Strength/Formulation	Directions	Quantity/Refills
Elevidys (delandistrogene moxeparvovec-rokl)		Administer as an intravenous infusion over 1-2 hours. Infuse at a rate of less than 10mL/kg/hour	1 kit No Refills

	a nominal concentration of 1.33 x	t 10 vg/IIIL		
Weight (kg)	Patient Weight Range (kg)	Number of vials	Dose volume (mL)	Carton NDCs
10	10.0 - 10.49	10	100	60923-0501-10
11	10.5 - 11.49	11	110	60923-0502-11
12	11.5 - 12.49	12	120	60923-0503-12
13	12.5 - 13.49	13	130	60923-0504-13
14	13.5 - 14.49	14	140	60923-0505-14
15	14.5 - 15.49	15	150	60923-0506-15
16	15.5 - 16.49	16	160	60923-0507-16
17	16.5 - 17.49	17	170	60923-0508-17
18	17.5 - 18.49	18	180	60923-0509-18
19	18.5 - 19.49	19	190	60923-0510-19
20	19.5 - 20.49	20	200	60923-0511-20
21	20.5 - 21.49	21	210	60923-0512-21
22	21.5 - 22.49	22	220	60923-0513-22
23	22.5 - 23.49	23	230	60923-0514-23
24	23.5 - 24.49	24	240	60923-0515-24
25	24.5 - 25.49	25	250	60923-0516-25
26	25.5 - 26.49	26	260	60923-0517-26
27	26.5 - 27.49	27	270	60923-0518-27
28	27.5 - 28.49	28	280	60923-0519-28
29	28.5 - 29.49	29	290	60923-0520-29
30	29.5 - 30.49	30	300	60923-0521-30
31	30.5 - 31.49	31	310	60923-0522-31
32	31.5 - 32.49	32	320	60923-0523-32
33	32.5 - 33.49	33	330	60923-0524-33
34	33.5 - 34.49	34	340	60923-0525-34
35	34.5 - 35.49	35	350	60923-0526-35
36	35.5 - 36.49	36	360	60923-0527-36
37	36.5 - 37.49	37	370	60923-0528-37
38	37.5 - 38.49	38	380	60923-0529-38
39	38.5 - 39.49	39	390	60923-0530-39
40	39.5 - 40.49	40	400	60923-0531-40
41	40.5 - 41.49	41	410	60923-0532-41

Dispense needles, syringes, ancillary supplies and home medical equipment necessary to administer medication.

If shipped to physician's office, physician accepts on behalf of patient for administration in office.

Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

SIGN	
HERE	

Date Dispense as written Date Substitution allowed

Patient's first name	Last name	Middle initial	Date of birth
Prescriber's first name	Last name	Phone	

4 Prescribing Information

Medication	Strength/Formulation	Directions	Quantity/Refills
Elevidys (delandistrogene moxeparvovec-rokl)		Administer as an intravenous infusion over 1-2 hours. Infuse at a rate of less than 10mL/kg/hour	1 kit No Refills

	<u> </u>			ļ.
Weight (kg)	Patient Weight Range (kg)	Number of vials	Dose volume (mL)	Carton NDCs
42	41.5 - 42.49	42	420	60923-0533-42
43	42.5 - 43.49	43	430	60923-0534-43
44	43.5 - 44.49	44	440	60923-0535-44
45	44.5 - 45.49	45	450	60923-0536-45
46	45.5 - 46.49	46	460	60923-0537-46
47	46.5 - 47.49	47	470	60923-0538-47
48	47.5 - 48.49	48	480	60923-0539-48
49	48.5 - 49.49	49	490	60923-0540-49
50	49.5 - 50.49	50	500	60923-0541-50
51	50.5 - 51.49	51	510	60923-0542-51
52	51.5 - 52.49	52	520	60923-0543-52
53	52.5 - 53.49	53	530	60923-0544-53
54	53.5 - 54.49	54	540	60923-0545-54
55	54.5 - 55.49	55	550	60923-0546-55
56	55.5 - 56.49	56	560	60923-0547-56
57	56.5 - 57.49	57	570	60923-0548-57
58	57.5 - 58.49	58	580	60923-0549-58
59	58.5 - 59.49	59	590	60923-0550-59
60	59.5 - 60.49	60	600	60923-0551-60
61	60.5 - 61.49	61	610	60923-0552-61
62	61.5 - 62.49	62	620	60923-0553-62
63	62.5 - 63.49	63	630	60923-0554-63
64	63.5 - 64.49	64	640	60923-0555-64
65	64.5 - 65.49	65	650	60923-0556-65
66	65.5 - 66.49	66	660	60923-0557-66
67	66.5 - 67.49	67	670	60923-0558-67
68	67.5 - 68.49	68	680	60923-0559-68
69	68.5 - 69.49	69	690	60923-0560-69
70	69.5 and above	70	700	60923-0561-70

Dispense needles, syringes, ancillary supplies and home medical equipment necessary to administer medication.

If shipped to physician's office, physician accepts on behalf of patient for administration in office.

Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

SIGN HERE

Date Dispense as written Date Substitution allowed

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements could result in outreach to the prescriber.

