

Please fax all pages of completed form to the Psoriasis team at 888.302.1028.

To reach your team, call toll-free 844.516.3319.

You can now monitor shipments and chat online if you have questions. Go to [MyAccredoPatients.com](https://MyAccredoPatients.com) to log in or get started.

Prescription & Enrollment Form

# Psoriasis—Humira and Biosimilars

accredo®

Four simple steps to submit your referral.

## 1 Patient Information



Please provide copies of front and back of all medical and prescription insurance cards.

New patient      Current patient

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_

Preferred patient first name \_\_\_\_\_ Preferred patient last name \_\_\_\_\_

Sex at birth:    Male    Female    Gender identity \_\_\_\_\_ Pronouns \_\_\_\_\_ Last 4 digits of SSN \_\_\_\_\_

Date of birth \_\_\_\_\_ Street address \_\_\_\_\_ Apt # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Parent/guardian (if applicable) \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

Alternate caregiver/contact \_\_\_\_\_

Home phone \_\_\_\_\_ Cell phone \_\_\_\_\_ Email address \_\_\_\_\_

OK to leave message with alternate caregiver/contact

Patient's primary language:    English    Other    If other, please specify \_\_\_\_\_

**Provider will read the following statement:** By providing the phone number(s) and email address above, you consent to receiving automated/artificial voice calls, emails and/or text messages from Accredo about your prescription(s), account, and health care. Standard data rates apply. Message frequency varies.

## 2 Prescriber Information

All fields must be completed to expedite prescription fulfillment.

Date \_\_\_\_\_ Time \_\_\_\_\_ Date medication needed \_\_\_\_\_

Office/clinic/institution name \_\_\_\_\_

**Prescriber info:** Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_

Prescriber's title \_\_\_\_\_ If NP or PA, under direction of Dr. \_\_\_\_\_

Office phone \_\_\_\_\_ Fax \_\_\_\_\_ NPI # \_\_\_\_\_ License # \_\_\_\_\_

Office contact and title \_\_\_\_\_ Office contact email \_\_\_\_\_

Office street address \_\_\_\_\_ Suite # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Infusion location:    Patient's home    Prescriber's office    Infusion site    If infusion site, complete information below dotted line: \_\_\_\_\_

**Infusion info:** Infusion site name \_\_\_\_\_ Clinic/hospital affiliation \_\_\_\_\_

Site street address \_\_\_\_\_ Suite # \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Infusion site contact \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_ Email \_\_\_\_\_

## 3 Clinical Information

**Primary ICD-10 code (REQUIRED):** \_\_\_\_\_ Severity:    Moderate    Moderate to severe    Severe    BSA \_\_\_\_\_ %

Type:    Plaque    Other \_\_\_\_\_

Significant symptoms \_\_\_\_\_

Prior Treatments:    Topicals    PUVA    UVB    Methotrexate    Cyclosporine    Oral retinoid    Other \_\_\_\_\_

Medical justification for prescribing \_\_\_\_\_

NKDA    Known drug allergies \_\_\_\_\_

Concurrent meds \_\_\_\_\_

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_ Date of birth \_\_\_\_\_

Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_ Phone \_\_\_\_\_

## 4 Prescribing Information

Medication	Strength/Formulation	Directions	Quantity/Refills
adalimumab-aacf Citrate Free (ADULT)	40mg/0.8mL PEN	<b>Loading dose:</b> Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	QS for 1-month loading dose No Refills
		<b>Maintenance dose:</b> Inject 40mg subcutaneously every other week	1-month supply 3-month supply Other _____ Refills _____
Amjevita™ (adalimumab-atto) Citrate Free (ADULT)	40mg/0.4mL SureClick Autoinjector 40mg/0.4mL prefilled syringe (PFS)	<b>Loading dose:</b> Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	QS for 1-month loading dose No Refills
		<b>Maintenance dose:</b> Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other _____
Cyltezo® (adalimumab-adbm) Citrate Free (ADULT)	40mg/0.8mL PEN 40mg/0.8mL PFS	<b>Loading dose:</b> Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	QS for 1-month loading dose No Refills
		<b>Maintenance dose:</b> Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other _____
adalimumab-adbm Citrate Free (ADULT)	40mg/0.8mL PEN 40mg/0.8mL PFS	<b>Loading dose:</b> Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	QS for 1-month loading dose No Refills
		<b>Maintenance dose:</b> Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other _____
Hadlima™ (adalimumab-bwwd) Citrate Free (ADULT)	40mg/0.8mL PFS 40mg/0.4mL PFS 40mg/0.8mL PushTouch Autoinjector 40mg/0.4mL PushTouch Autoinjector	<b>Loading dose:</b> Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	QS for 1-month loading dose No Refills
		<b>Maintenance dose:</b> Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other _____
Other			
<b>Ancillary Supplies: (Prescriber to strike through if not required)</b> Dispense ancillary supplies such as needles, syringes, sterile water, etc. and home medical equipment necessary to administer the therapy as needed.			Send quantity sufficient for medication days supply

If shipped to physician's office or infusion clinic, physician accepts on behalf of patient for administration in office or infusion clinic.

By signing below, I certify that the above therapy is medically necessary.

Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

SIGN  
HERE

Date

Dispense as written

Date

Substitution allowed

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements could result in outreach to the prescriber.

Patient's first name \_\_\_\_\_ Last name \_\_\_\_\_ Middle initial \_\_\_\_\_ Date of birth \_\_\_\_\_

Prescriber's first name \_\_\_\_\_ Last name \_\_\_\_\_ Phone \_\_\_\_\_

## 4 Prescribing Information

Medication	Strength/Formulation	Directions	Quantity/Refills
Humira® (adalimumab) (ADULT)	<b>Starter:</b> 80mg/0.8mL and 40mg/0.4mL citrate free PENS starter package 40mg/0.4mL PFS for starter dose	<b>Loading dose:</b> Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter.	1 starter kit -OR- QS for 1-month loading dose
	<b>Maintenance:</b> 40mg/0.4mL citrate free PEN 40mg/0.4mL citrate free PFS 40mg/0.8mL PEN 40mg/0.8mL PFS	<b>Maintenance dose:</b> Inject 40mg subcutaneously every other week.	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other _____
Hyrimoz® (adalimumab-adaz) Citrate Free (ADULT)	80mg/0.8mL and 40mg/0.4mL PEN Psoriasis Starter Pack (3 PENS)	<b>Loading dose:</b> Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	1 starter kit -OR- QS for 1-month loading dose
	40mg/0.4mL PEN 40mg/0.4mL PFS	<b>Maintenance dose:</b> Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other _____
adalimumab- adaz Citrate Free (ADULT)	40mg/0.4mL PEN 40mg/0.4mL PFS	<b>Loading dose:</b> Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	1 starter kit -OR- QS for 1-month loading dose
		<b>Maintenance dose:</b> Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other _____
Simlandi® (adalimumab-ryvk) Citrate Free	40mg/0.4mL PFS 40mg/0.4mL PEN	<b>Loading Dose:</b> Inject 80mg subcutaneously on day 1, then inject 40mg on day 8 and every other week thereafter	QS for 1-month loading dose No Refills
		<b>Maintenance Dose:</b> Inject 40mg subcutaneously every other week	1-month supply 3-month supply Refill QS 1 year unless otherwise noted Other _____
Other			
<b>Ancillary Supplies: (Prescriber to strike through if not required)</b> Dispense ancillary supplies such as needles, syringes, sterile water, etc. and home medical equipment necessary to administer the therapy as needed.			Send quantity sufficient for medication days supply

If shipped to physician's office or infusion clinic, physician accepts on behalf of patient for administration in office or infusion clinic.

By signing below, I certify that the above therapy is medically necessary.

Prescriber's signature required (sign below) (Physician attests this is his/her legal signature. NO STAMPS)

SIGN  
HERE

Date

Dispense as written

Date

Substitution allowed

The prescriber is to comply with his/her state-specific prescription requirements such as e-prescribing, state-specific prescription form, fax language, etc. Non-compliance with state-specific requirements could result in outreach to the prescriber.