

# Page 1 of 4

YUTREPIA™ (treprostinil) inhalation powder is available through select specialty pharmacy (SP) providers.

- **INSTRUCTIONS:** Complete all relevant sections on page 1. Inform your patient their SP will call to process their Rx.
  - Complete the Standard Rx (pages 2 and 3) or the Voucher Rx (pages 3 and 4). If only a Voucher Rx is submitted, a Standard Rx will be needed at a later date if you and your patient wish to continue therapy beyond the initial 28-day voucher period.

Patient Name (first, MI, last)		Email	□ Home		□н
			☐ Cell ☐ Work		
HOME ADDRESS		Phone		Alternate Phor	
City	State Zip	Preferred contact:	Phone	Email	
	Gender:  Male Female	Best time to call:	Morning	Afternoon	Night
Pate of Birth (mm/dd/yyyy)					
		_			□н
			☐ Cell ☐ Work		□ C
AREGIVER Name		Caregiver Phone		Alternate Phor	
		Preferred contact:	OPhone	Email	
Caregiver Email		Best time to call:	Morning	Afternoon	<ul><li>Night</li></ul>
Office / Clinic / Institution Name	9	Office Contact Name	•		
Address		Office Contact Email			
City	State Zip	Phone		Fax	
Sity	State Zip	Preferred method o	f communication		O Email
		Treferred method c	- Communication		- Lindii
NSURANCE INFORMAT	ION (Not required if only requ	uesting a Voucher Presc	ription on pag	ge 4)	
		Please include co			
Pharmacy Benefits Manager		patient's medical	and prescripti	ion insurance	cards.
PRIMARY Medical Insurance Ca	arrier	SECONDARY Medica	al Insurance Car	rier	
Table 11.1 Dansar modranice oc	····				
Policyholder Name		Policyholder Name			
,					
	Group Number (if applicable)	Policy ID Number		Group Number	r (if applicable)
Policy ID Number  Medical Insurance Phone	Group Number (if applicable)  Relationship to Policyholder	Policy ID Number  Medical Insurance Pl		Group Number	





D . (D: II
Date of Birth

YUTREPIA™

(mcg)

26.5

53

79.5

106

+ 79.5

106

## **Standard Prescription**

#### STANDARD PRESCRIPTION INFORMATION YUTREPIA™ (treprostinil) inhalation powder **DOSE COMPARISON** Starting Dose: \_\_\_\_\_mcg Target Dose: \_\_\_ YUTREPIA™ Tvvaso<sup>®</sup> (Nebulized) QID Dose **Capsule Combination** Dispense: **QID** Breaths (mcg) 28-day supply, 1-year refills **OR** O \_\_\_\_\_ day supply, \_\_\_\_ refills ≤5 26.5 Frequency: ≥6 and ≤8 Two (2) breaths per capsule, four (4) times daily OR 53 Two (2) breaths per capsule, \_\_\_\_ times daily ≥9 and ≤11 79.5 Titration (as tolerated, to target dose): ≥12 and ≤14 106 Increase by 26.5 mcg, every week **OR** $\bigcirc$ Increase by \_\_\_\_\_ mcg, every \_\_\_\_ $\square$ week(s) / $\square$ days ≥15 and ≤17 132.5 ~18 159 NDC(s) Prescribed Included NDCs in this prescription: ~21 185.5 26.5 mcg (72964-011-01) SP will dispense (72964-012-01) the prescribed dose 53 mcg 212 ~24 106 per labeled NDC 79.5 mcg (72964-013-01) combinations. 106 mcg (72964-014-01) SP will confirm labeled combinations to meet prescribed dose. NURSING SP home health nurse visit(s) to teach and assess the self-administration

**ORDERS** 

of YUTREPIA, including dosing, titration, and side effect management.

Decline Nursing Services

#### STATEMENT OF MEDICAL NECESSITY

I certify that the therapy ordered above is medically necessary and that I am personally supervising the care of this patient.

HERE

Dispense As Written (DAW) / Brand Medically Necessary / No Substitution / May Not Substitute / Do Not Substitute

Prescriber Signature\*

Prescriber Full Name (print)

Substitution Permitted / May Substitute / **Product Selection Permitted** 

Prescriber Signature\*

Date

CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution": ATTN: New York and Iowa providers, please submit electronic prescription.

\*Prescriber attests that this is his/her legal signature.

NO STAMPS. PRESCRIPTIONS MUST BE FAXED.

NOTE: The responsibility to determine coverage and reimbursement parameters, and appropriate coding for a particular patient and/or procedure, is the responsibility of the provider. The information provided here is not a guarantee of coverage or reimbursement.





Patient Name (first, MI, last)	Date of Birth

(trepros	tinii) powder :	Page 3 01 4	Patient Name	(first, MI, last)		Date of Birth
PATIENT EVALUA	TION					
Patient Status:	WHO Group:	WHO Group		TRANSITION	STATEMENT	
Outpatient Inpatient	<ul><li>Group 1 (PAH)</li><li>Group 3 (PH-ILD)</li><li>Groups 1 and 3</li></ul>	NYHA Functi	onal Class:	(if applicable) It is necessary for	or this patient t	o transition
YUTREPIA™ Status:	Allergies:			from:		
<ul><li>Naïve / New</li><li>Restart</li></ul>	<ul><li>No known drug allergi</li><li>Yes (specify):</li></ul>	ies (NKDA)		to:		
O Transition				Please provide j	ustification for t	this transition.
Current Medications	(list all):					
MEDICAL INFORM	AATION	elow or		IT HISTORY te treatment history		
	f needed. Listed codes do not im ement for specific uses or indica			ociguat) Tablets	Current	<ul><li>Discontinued</li></ul>
PAH ICD-10 I27.0 Pr	rimary pulmonary hypertension  AH	4	Flolan® (epop	rostenol sodium)	O Current	ODiscontinued
	Secondary pulmonary arterial hy		Letairis® (amb	risentan) Tablets	O Current	Oliscontinued
Connective t	tissue disease O Congenital h	eart disease	Opsumit® (ma	citentan) Tablets	O Current	ODiscontinued
O Drugs/Toxins HIV	s induced Portal hypert	ension	Opsynvi® (mad	citentan/tadalafil)	O Current	ODiscontinued
Other ICD-10: Coo	de Description		Orenitram® (tr Extended-Rele	·	O Current	ODiscontinued
PH   ICD-10 I27.2 diseases and	23 Pulmonary hypertension due	to lung	PDE-5i (speci	y drugs):	O Current	ODiscontinued
uiseases all	u riypoxia					

### Other ICD-10: Code Description ILD IIP: O ICD-10 J84.10 Pulmonary fibrosis, unspecified O ICD-10 J84.111 Idiopathic interstitial pneumonia, NOS

CTD-related ILD: O ICD-10 M34.81 Systemic sclerosis with lung involvement

## **Environmental/Occupational Lung Disease:**

O ICD-10 J61 Pneumoconiosis due to asbestos and other mineral fibers

O ICD-10 J84.112 Idiopathic pulmonary fibrosis

O ICD-10 J67.9 Hypersensitivity pneumonitis due to unspecified dust

### Other causes:

O ICD-10 J17 Pneumonia in disease classified elsewhere

Please indicate treatment history		
Adempas® (riociguat) Tablets	O Current	ODiscontinued
Flolan® (epoprostenol sodium) for Injection	O Current	ODiscontinued
Letairis® (ambrisentan) Tablets	O Current	ODiscontinued
Opsumit® (macitentan) Tablets	O Current	ODiscontinued
Opsynvi® (macitentan/tadalafil)	O Current	ODiscontinued
Orenitram® (treprostinil) Extended-Release Tablets	O Current	ODiscontinued
PDE-5i (specify drugs):	O Current	ODiscontinued
Remodulin® (treprostinil) Injection	O Current	ODiscontinued
Tracleer® (bosentan) Tablets	O Current	ODiscontinued
Tyvaso® (treprostinil) Inhalation Solution	O Current	ODiscontinued
Tyvaso DPI® (treprostinil) Inhalation Powder	O Current	ODiscontinued
Uptravi® (selexipag) Tablets	O Current	ODiscontinued
Veletri® (epoprostenol) for Injection	O Current	ODiscontinued
Winrevair™ (sotatercept-csrk) for Injection	O Current	ODiscontinued
Other:	O Current	ODiscontinued





# ENROLLMENT FORM Page 4 of 4

Patient Name (first, MI, last)	Date of Birth
, , , ,	

## Voucher Prescription ►see full program requirements and conditions at www.Yutrepia.com/Voucher

The YUTREPIA Voucher Program provides a one-time, 28-day supply, of free product to eligible patients to help them determine whether YUTREPIA is the right choice for them. Using the Voucher Rx does not require ongoing use of YUTREPIA with a Standard Rx.

VOUCHER	PRESCRIPTION INFORMATION		
YUTREPIA™	treprostinil) inhalation powder		
Starting Dose	e:mcg	NDC(s) Prescribed	Included NDCs in
Dispense:	28-day supply, 0 refills	SP will dispense the prescribed dose	<b>this prescription:</b> 26.5 mcg (72964-011-01)
Frequency:	Two (2) breaths per capsule, four (4) times daily <b>OR</b> Two (2) breaths per capsule, times daily	per labeled NDC combinations.	53 mcg (72964-012-01) 79.5 mcg (72964-013-01)
<b>Titration:</b> (as tolerated, to target dose)	Increase by 26.5 mcg, every week <b>OR</b> Increase by mcg, every week(s) / \( \square \) day		106 mcg (72964-014-01)
NURSING ORDERS	SP home health nurse visit(s) to teach and assess the self-administration of YUTREPIA, including dosing, titration, and side effect management	· () Declin	e Nursina Services

### PRESCRIBER ATTESTATION

The undersigned, as treating physician, attests that:

- (i) I understand and agree that the sole purpose of this prescription (and the subsequent dispense of the medication) under Liquidia's Voucher Program is solely to clinically evaluate the medication's safety and tolerability in order to determine if it is the right treatment choice for the patient.
- (ii) I understand that patients are limited to one (1) free 28-day supply of YUTREPIA per lifetime under Liquidia's Voucher Program. Accordingly, I understand that should I and the patient determine that YUTREPIA is a good choice for the patient, I will need to write a new prescription of YUTREPIA for the patient in order to continue treatment.
- (iii) I shall not seek reimbursement for YUTREPIA or any Liquidia medication dispensed to the patient through Liquidia's Voucher Program from any government program or third-party insurer.

- (iv) I understand that any medication to be provided to this patient by Liquidia can only be provided directly to the patient or its authorized caregiver, is provided at no cost and may not be resold or billed to third-party payers, returned for credit or otherwise be placed in the stream of commerce.
- (v) All patient information supplied to Liquidia or its agents, contractors or subcontractors in connection with this enrollment form is accurate and has been obtained pursuant to an appropriate and valid patient authorization allowing for the release, transfer, and use of such information by Liquidia or its agents, contractors and sub-contractors in accordance with State and Federal law.
- (vi) I understand that Liquidia reserves the right to modify or terminate this program at any time as it deems fit, that Liquidia is under no obligation to continue the program and that any decision by Liquidia to modify or terminate this program will not give rise to any liability or obligation for Liquidia.

necessa	that the therapy ordered above is medically ary and that I am personally supervising the this patient.	Prescriber Full Name (print)	
SIGN	Dispense As Written (DAW) / Brand Medically Necessary / No Substitution / May Not Substitute / Do Not Substitute	Substitution Permitted / May Substitute / Product Selection Permitted	
HERE	Prescriber Signature*	Prescriber Signature*	Date
	CA, MA, NC & PR: Interchange is mandated unless Pres ATTN: New York and lowa providers, please submit el	ectronic prescription.	
	*Prescriber attests that this is his/her legal signature.	NO STAMPS, PRES	CRIPTIONS MUST BE FAXE





Pate		
ΓΟ (	Accredo Health Group, Inc. CVS S	pecialty
	FAX 1-800-711-3526 FAX	X 1-877-943-1000
	Phone: 1-866-344-4874 Phone	e: 1-877-242-2738
FROM		
	(Name of agent of prescriber transmitting this fax/prescription)	Phone
	Facility Name	Fax
RE		
	Patient Name	Date of Birth
	DOCUMENTATION CHECKLIST	
	Indicate all current, signed and dated documents enclose	ed with this fax.
	<ul><li>Completed YUTREPIA Enrollment Form, including:</li><li>– Patient and Prescriber Information</li></ul>	<ul><li>Echocardiogram (not required for PH-ILD patients)</li></ul>
	<ul> <li>Insurance Information*</li> <li>Standard and/or Voucher Prescription Information</li> <li>Medical Information/Patient Evaluation</li> </ul>	<ul> <li>6-minute walk test results (not required for PH-ILD patients)</li> </ul>
	<ul> <li>Copy of front and back of patient's insurance card(s)*</li> <li>Right heart catheterization</li> </ul>	<ul> <li>History and physical, including onset of symptoms, clinical signs and symptoms and course of illnes</li> </ul>
	High-resolution CT scan (not required for PAH patients)	Need for specific drug therapy
	*Only required if requesting a Standard Rx	
	Comments:	

No of Pages (including this cover sheet)